Author Index

Aarbakke, J., see Moens, U. (1173) 63
Abe, K., see Abe, T. (1173) 353
Abe, T., Takeuchi, K., Ishii, K. and Abe, K.
Molecular cloning and expression of a rat cDNA encoding MDCK-type chloride channel (1173) 353
Adamowicz, L., see Leś, A. (1173) 39
Allegra, P., see D'Erme, M. (1173) 209
Amaya, Y., see Kawamoto, S. (1173) 111
Andreola, M.-L., Dufour, E., Tarrago-Litvak, L., Jamkovoy, V.I., Levina, A.S., Barr, P.J., Litvak, S. and Nevinsky, G.A.
Human immunodeficiency virus type-1 reverse transcriptase copies very short templates: kinetic and crosslinking analysis (1173) 147
Arnosti, D.N., see Rigoni, P. (1173) 141
Au, L.-C., Chou, J.-S., Chang, K.-J., Teh, G.-W. and Lin, S.-B.
Nucleotide sequence of a full-length cDNA encoding a common precursor of platelet aggregation inhibitor and hemorrhagic protein from *Calloselasma rhodostoma* venom (1173) 243

Bacheller, W., see Lin, F.-K. (1173) 325
Baldwin, T.O., see Devine, J.H. (1173) 121
Barr, P.J., see Andreola, M.-L. (1173) 147
Bergmann, U. and Wittmann-Liebold, B.
HL35e and HLA: primary structure of two very basic and cysteine-rich ribosomal proteins from *Haloarcula marismortui* (1173) 195
Bertazzoni, U., see Negroni, M. (1173) 133
Bird, C.H., see Niforas, P. (1173) 179
Bird, P., see Niforas, P. (1173) 179
Boldyreff, B., Meggio, F., Dobrowolska, G., Pinna, L.A. and Issinger, O.-G.
Expression and characterization of a recombinant maize CK-2 α subunit (1173) 32
Brawerman, G., see Coutts, M. (1173) 49
Brawerman, G., see Coutts, M. (1173) 57
Breen, G.A.M., see Jordan, E.M. (1173) 115
Broad, T.E., see Carpenter, M.A. (1173) 230
Bulygin, K.N., see Mundus, D.A. (1173) 273
Burckhardt, G., Luck, G., Störl, K., Zimmer, C. and Lown, J.W.
Binding to DNA of selected lexitropsins and effects on prokaryotic topoisomerase activity (1173) 266

Caiafa, P., see D'Erme, M. (1173) 209
Carpenter, M.A. and Broad, T.E.
The cDNA sequence of horse transferrin (1173) 230
Casteels, R., see De Jaegere, S. (1173) 188
Chang, K.-J., see Au, L.-C. (1173) 243
Chao, J., see Lin, F.-K. (1173) 325
Chao, L., see Lin, F.-K. (1173) 325
Chen, K., see Lin, F.-K. (1173) 325
Chou, C.C., see Lin, F.-K. (1173) 325
Chou, J.-S., see Au, L.-C. (1173) 243
Coutts, M. and Brawerman, G.
A 5′ exoribonuclease from cytoplasmic extracts of mouse sarcoma 180 ascites cells (1173) 57
Coutts, M., Krowczynska, A. and Brawerman, G.
Protection of mRNA against nucleases in cytoplasmic extracts of mouse sarcoma ascites cells (1173) 49
Couture, C., see St-Pierre, B. (1173) 107
Coviello, D.A., see Pagani, F. (1173) 172

De Jaegere, S., Wuytack, F., De Smedt, H., Van Den Bosch, L. and Casteels, R.
Alternative processing of the gene transcripts encoding a plasma-membrane and a sarco/endoplasmic reticulum Ca^{2+} pump during differentiation of BC_3H1 muscle cells (1173) 188
Delcour, J., see Ladrière, J.-M. (1173) 99
Demmer, J., Hill, D.F. and Petersen, G.B.
Characterization of two sheep insulin-like growth factor II cDNAs with different 5′-untranslated regions (1173) 79
D'Erme, M., Santoro, R., Allegra, P., Reale, A., Marenzi, S., Strom, R. and Caiafa, P.
Inhibition of CpG methylation in linker DNA by H_1 histone (1173) 209
De Smedt, H., see De Jaegere, S. (1173) 188
De Strooper, B., see Van Leuven, F. (1173) 71
Devine, J.H., Kutuzova, G.D., Green, V.A., Ugarova, N.N. and Baldwin, T.O.
Luciferase from the East European firefly *Luciola mingrelica:* cloning and nucleotide sequence of the cDNA, overexpression in *Escherichia coli* and purification of the enzyme (1173) 121
Dobrowolska, G., see Boldyreff, B. (1173) 32
Dufour, E., see Andreola, M.-L. (1173) 147

Evans, S.A.S., see Torok, M.A. (1173) 81

Falconet, D., Godon, C., White, M.J. and Thompson, W.F.
Sequence of Lhcb3*1, a gene encoding a Photosystem II chlorophyll *a*/*b*-binding protein in *Pisum* (1173) 333
Farley, D., Reymond, F. and Nick, H.
Cloning and sequence analysis of rat hepsin, a cell surface serine proteinase (1173) 350
Fias, E., see Van Leuven, F. (1173) 71
Fronk, J., see Kozlowski, P. (1173) 357

Gadson, Jr., P. and McCoy, J.
Differential expression of tyrosine aminotransferase by glucocorticoids and insulin (1173) 22
Godon, C., see Falconet, D. (1173) 333
Golden, S.S., see Kulkarni, R.D. (1173) 329
Green, V.A., see Devine, J.H. (1173) 121

Hammer III, J.A., see Urrutia, R.A. (1173) 225
Harshman, K., see Rigoni, P. (1173) 141
Hattori, S., see Kawamoto, S. (1173) 111
Herren, B., Weyer, K.A., Rouge, M., Lötscher, P. and Pech, M.
Conservation in sequence and affinity of human and rodent PDGF ligands and receptors (1173) 294
Herrera, C., see Lin, F.-K. (1173) 325
Higuti, T., Kawamura, Y., Kuroiwa, K., Miyazaki, S. and Tsujita, H.
Molecular cloning and sequence of two cDNAs for human subunit c of H^+-ATP synthase in mitochondria (1173) 87

Hill, D.F., see Demmer, J. (1173) 79
Hilliker, C., see Van Leuven, F. (1173) 71
Himeno, S., Takekawa, A., Toyoda, H. and Imura, N.
Tissue-specific expression of glutathione peroxidase gene in guinea pigs (1173) 283
Holloman, W.K., see Thiyagarajan, M.M. (1173) 155
Hordvik, I., see Molven, A. (1173) 102

Imura, N., see Himeno, S. (1173) 283
Ishii, K., see Abe, T. (1173) 353
Issinger, O.-G., see Boldyreff, B. (1173) 32
Itoh, K., Kimura, T., Yokoi, T., Itoh, S. and Kamataki, T.
Rat liver flavin-containing monooxygenase (FMO): cDNA cloning and expression in yeast (1173) 165
Itoh, S., see Itoh, K. (1173) 165
Iwaasa, H., see Takagi, T. (1173) 75

Jamkovoy, V.I., see Andreola, M.-L. (1173) 147
Johansen, B., see Moens, U. (1173) 63
Jones, T., see Lin, F.-K. (1173) 325
Joo, H.-K., see Song, K.-B. (1173) 320
Jordan, E.M. and Breen, G.A.M.
Upstream region of a nuclear gene encoding the α-subunit of the human mitochondrial F_0F_1 ATP synthase (1173) 115
Jung, G., see Urrutia, R.A. (1173) 225

Kamataki, T., see Itoh, K. (1173) 165
Karpova, G.G., see Mundus, D.A. (1173) 273
Kawamoto, S., Amaya, Y., Hattori, S., Miyagi, Y., Onishi, H. and Okuda, K.
Structural analysis of an extremely long 5′-noncoding region of rat brain argininosuccinate lyase mRNA: presence of multiple B1 repeats and multiple upstream AUG codons, and a possibility of translational control (1173) 111
Kawamura, Y., see Higuti, T. (1173) 87
Keyers, V., see Milcamps, A. (1173) 237
Kimura, T., see Itoh, K. (1173) 165
Kleine Kuhlmann, J. and Scheit, K.H.
Characterization of the gene for seminalplasmin, a secretory protein of the bovine seminal vesicle (1173) 85
Kmiec, E.B., see Thiyagarajan, M.M. (1173) 155
Kneale, G.G., see Turner, G.P. (1173) 201
Kohri, K., Nata, K., Yonekura, H., Nagai, A., Konno, K. and Okamoto, H.
Cloning and structural determination of human peptide YY cDNA and gene (1173) 345
Konno, K., see Kohri, K. (1173) 345
Kotani, H., see Thiyagarajan, M.M. (1173) 155
Kozlowski, P., Fronk, J. and Toczko, K.
Identification of a *ras* gene in the slime mold *Physarum polycephalum* (1173) 357
Krowczynska, A., see Coutts, M. (1173) 49
Kulkarni, R.D., Mueller, U.W. and Golden, S.S.
Nucleotide sequence of *psbB* from *Synechococcus* sp. strain PCC 7942 (1173) 329
Kuroiwa, K., see Higuti, T. (1173) 87
Kutuzova, G.D., see Devine, J.H. (1173) 121

Ladrière, J.-M., Delcour, J. and Vandenhaute, J.
Sequence of a gene coding for a cytoplasmic alcohol dehydrogenase from *Kluyveromyces marxianus* ATCC 12424 (1173) 99
Lamm, G.M. and Lamond, A.I.
Non-snRNP protein splicing factors (1173) 247
Lamond, A.I., see Lamm, G.M. (1173) 247
Langer, J.A., see Lim, J.-K. (1173) 314
Laroche, A., see St-Pierre, B. (1173) 107
Laughon, A., see Price, B.D. (1173) 94
Lenz, W., see Van Koppen, C.J. (1173) 342
Leś, A., Adamowicz, L. and Rode, W.
Structure and conformation of N^4-hydroxycytosine and N^4-hydroxy-5-fluorocytosine. A theoretical ab initio study (1173) 39
Levina, A.S., see Andreola, M.-L. (1173) 147
Lim, J.-K. and Langer, J.A.
Cloning and characterization of a bovine alpha interferon receptor (1173) 314
Lin, C.-H., see Lin, F.-K. (1173) 325
Lin, F.-K., Lin, C.-H., Chou, C.C., Chen, K., Lu, H.S., Bacheller, W., Herrera, C., Jones, T., Chao, J. and Chao, L.
Molecular cloning and sequence analysis of the monkey and human tissue kallikrein genes (1173) 325
Lin, S.-B., see Au, L.-C. (1173) 243
Ling, V., see Zastawny, R.L. (1173) 303
Litvak, S., see Andreola, M.-L. (1173) 147
Lorent, K., see Van Leuven, F. (1173) 71
Lötscher, P., see Herren, B. (1173) 294
Lown, J.W., see Burckhardt, G. (1173) 266
Lu, H.S., see Lin, F.-K. (1173) 325
Luck, G., see Burckhardt, G. (1173) 266

Mager, W.H., see Oberyé, E.H.H. (1173) 233
Maier, J.A.M., see Pagani, F. (1173) 172
Malygin, A.A., see Mundus, D.A. (1173) 273
Marcum, J.A., see Torok, M.A. (1173) 81
Marenzi, S., see D'Erme, M. (1173) 209
Matharu, P.J., see Smith, T.S. (1173) 239
Maurer, K., see Oberyé, E.H.H. (1173) 233
McCoy, J., see Gadson, Jr., P. (1173) 22
Meggio, F., see Boldyreff, B. (1173) 32
Milcamps, A., Keyers, V. and Vanderleyden, J.
Identification of a *nifW*-like gene in *Azospirillum brasilense* (1173) 237
Miyagi, Y., see Kawamoto, S. (1173) 111
Miyazaki, S., see Higuti, T. (1173) 87
Moechars, D., see Van Leuven, F. (1173) 71
Moens, U., Subramaniam, N., Johansen, B. and Aarbakke, J.
The c-*fos* cAMP-response element: regulation of gene expression by a β_2-adrenergic agonist, serum and DNA methylation (1173) 63
Molven, A., Hordvik, I. and Njølstad, P.R.
Sequence analysis of the zebrafish *hox-B5/B6* region (1173) 102
Mueller, U.W., see Kulkarni, R.D. (1173) 329
Mundus, D.A., Bulygin, K.N., Yamkovoy, V.I., Malygin, A.A., Repkova, M.N., Vratskikh, L.V., Venijaminova, A.G., Vladimirov, S.N. and Karpova, G.G.
Structural arrangement of the codon–anticodon interaction area in human placenta ribosomes. Affinity labelling of the 40S subunits by derivatives of oligoribonucleotides containing the AUG codon (1173) 273

Nagai, A., see Kohri, K. (1173) 345
Nata, K., see Kohri, K. (1173) 345
Nathanson, N.M., see Van Koppen, C.J. (1173) 342
Negroni, M. and Bertazzoni, U.
Differential expression and stability of poly(ADP-ribose)polymerase mRNA in human cells (1173) 133
Nevinsky, G.A., see Andreola, M.-L. (1173) 147
Nick, H., see Farley, D. (1173) 350
Niforas, P., Sanderson, G.M., Bird, C.H. and Bird, P.
Characterization of the mouse thrombomodulin gene and functional analysis of the 5′ flanking region in F9 teratocarcinoma cells (1173) 179
Njølstad, P.R., see Molven, A. (1173) 102

Oberyé, E.H.H., Maurer, K., Mager, W.H. and Planta, R.J.
Structure of the ABF1-homologue from *Kluyveromyces marxianus* (1173) 233

Okamoto, H., see Kohri, K. (1173) 345
Okuda, K., see Kawamoto, S. (1173) 111
Onishi, H., see Kawamoto, S. (1173) 111
Overbergh, L., see Van Leuven, F. (1173) 71

Pagani, F., Zagato, L., Maier, J.A.M., Ragnotti, G., Coviello, D.A. and Vergani, C.
Expression and alternative splicing of fibronectin mRNA in human diploid endothelial cells during aging in vitro (1173) 172
Pallotta, D., see St-Pierre, B. (1173) 107
Pech, M., see Herren, B. (1173) 294
Petersen, G.B., see Demmer, J. (1173) 79
Pinna, L.A., see Boldyreff, B. (1173) 32
Planta, R.J., see Oberyé, E.H.H. (1173) 233
Price, B.D. and Laughon, A.
The isolation and characterization of a *Drosophila* gene encoding a putative NAD-dependent methylenetetrahydrofolate dehydrogenase-methenyltetrahydrofolate cyclohydrolase (1173) 94

Ragnotti, G., see Pagani, F. (1173) 172
Raymakers, L., see Van Leuven, F. (1173) 71
Reale, A., see D'Erme, M. (1173) 209
Repkova, M.N., see Mundus, D.A. (1173) 273
Reymond, F., see Farley, D. (1173) 350
Rhee, S.-K., see Song, K.-B. (1173) 320
Rigoni, P., Xu, L., Harshman, K., Schaffner, W. and Arnosti, D.N.
Conserved cysteine residues of Oct-2 POU domain confer sensitivity to oxidation but are dispensable for sequence-specific DNA binding (1173) 141
Rode, W., see Leś, A. (1173) 39
Rosenthal, E.
Identification of homologues to β-catenin/plakoglobin/armadillo in two invertebrates, *Urechis caupo* and *Tripneustes gratilla* (1173) 337
Rosenthal, P.J.
A *Plasmodium vinckei* cysteine proteinase shares unique features with its *Plasmodium falciparum* analogue (1173) 91
Rouge, M., see Herren, B. (1173) 294

Sanderson, G.M., see Niforas, P. (1173) 179
Santoro, R., see D'Erme, M. (1173) 209
Sato, Y., see Su, Z.-H. (1173) 217
Schaffner, W., see Rigoni, P. (1173) 141
Scheit, K.H., see Kleine Kuhlmann, J. (1173) 85
Serneels, L., see Van Leuven, F. (1173) 71
Shikama, K., see Takagi, T. (1173) 75
Smith, T.S., Matharu, P.J. and Sweeney, G.E.
Cloning and sequencing of a *Xenopus* homologue of the inducible orphan receptor NGFI-B (1173) 239
Sommer, J.
Synthesis of mammalian prolylendopeptidase in *Escherichia coli* and analysis of the recombinant protein (1173) 289
Song, K.-B., Joo, H.-K. and Rhee, S.-K.
Nucleotide sequence of levansucrase gene (*levU*) of *Zymomonas mobilis* ZM1 (ATCC10988) (1173) 320
St-Pierre, B., Couture, C., Laroche, A. and Pallotta, D.
Two developmentally regulated mRNAs encoding actin-binding proteins in *Physarum polycephalum* (1173) 107
Stas, L., see Van Leuven, F. (1173) 71
Störl, K., see Burckhardt, G. (1173) 266
Strom, R., see D'Erme, M. (1173) 209
Su, Z.-H., Sato, Y. and Yamashita, O.
Purification, cDNA cloning and Northern blot analysis of trehalase of pupal midgut of the silkworm, *Bombyx mori* (1173) 217
Subramaniam, N., see Moens, U. (1173) 63
Sweeney, G.E., see Smith, T.S. (1173) 239

Takagi, T., Iwaasa, H., Yuasa, H., Shikama, K., Takemasa, T. and Watanabe, Y.
Primary structure of *Tetrahymena* hemoglobins (1173) 75
Takekawa, A., see Himeno, S. (1173) 283
Takemasa, T., see Takagi, T. (1173) 75
Takeuchi, K., see Abe, T. (1173) 353
Tarrago-Litvak, L., see Andreola, M.-L. (1173) 147
Teh, G.-W., see Au, L.-C. (1173) 243
Thiyagarajan, M.M., Kotani, H., Holloman, W.K. and Kmiec, E.B.
DNA relaxation mediated by *Ustilago maydis* type I topoisomerase; modulation by chromatin associated proteins (1173) 155
Thompson, W.F., see Falconet, D. (1173) 333
Toczko, K., see Kozlowski, P. (1173) 357
Torok, M.A., Evans, S.A.S. and Marcum, J.A.
cDNA sequence for bovine biglycan (PGI) protein core (1173) 81
Torrekens, S., see Van Leuven, F. (1173) 71
Toyoda, H., see Himeno, S. (1173) 283
Tsujita, H., see Higuti, T. (1173) 87
Turner, G.P. and Kneale, G.G.
Cloning, expression and in vitro characterisation of the M13 gene 5 protein (1173) 201

Ugarova, N.N., see Devine, J.H. (1173) 121
Umans, L., see Van Leuven, F. (1173) 71
Urrutia, R.A., Jung, G. and Hammer III, J.A.
The *Dictyostelium* myosin IE heavy chain gene encodes a truncated isoform that lacks sequences corresponding to the actin binding site in the tail (1173) 225

Van den Berghe, H., see Van Leuven, F. (1173) 71
Van Den Bosch, L., see De Jaegere, S. (1173) 188
Vandenhaute, J., see Ladrière, J.-M. (1173) 99
Vanderleyden, J., see Milcamps, A. (1173) 237
Van der Vliet, P.C., see Verrijzer, C.P. (1173) 1
Van Koppen, C.J., Lenz, W. and Nathanson, N.M.
Isolation, sequence and functional expression of the mouse m4 muscarinic acetylcholine receptor gene (1173) 342
Van Leuven, F., Stas, L., Raymakers, L., Overbergh, L., De Strooper, B., Hilliker, C., Lorent, K., Fias, E., Umans, L., Torrekens, S., Serneels, L., Moechars, D. and Van den Berghe, H.
Molecular cloning and sequencing of the murine alpha-2-macroglobulin receptor cDNA (1173) 71
Venijaminova, A.G., see Mundus, D.A. (1173) 273
Vergani, C., see Pagani, F. (1173) 172
Verrijzer, C.P. and Van der Vliet, P.C.
POU domain transcription factors (1173) 1
Vladimirov, S.N., see Mundus, D.A. (1173) 273
Vratskikh, L.V., see Mundus, D.A. (1173) 273

Watanabe, Y., see Takagi, T. (1173) 75
Weyer, K.A., see Herren, B. (1173) 294
White, M.J., see Falconet, D. (1173) 333
Wittmann-Liebold, B., see Bergmann, U. (1173) 195
Wuytack, F., see De Jaegere, S. (1173) 188

Xu, L., see Rigoni, P. (1173) 141

Yamashita, O., see Su, Z.-H. (1173) 217
Yamkovoy, V.I., see Mundus, D.A. (1173) 273
Yokoi, T., see Itoh, K. (1173) 165
Yonekura, H., see Kohri, K. (1173) 345
Yuasa, H., see Takagi, T. (1173) 75

Zagato, L., see Pagani, F. (1173) 172
Zastawny, R.L. and Ling, V.
Structural and functional analysis of 5′ flanking and intron 1 sequences of the hamster P-glycoprotein *pgp1* and *pgp2* genes (1173) 303
Zimmer, C., see Burckhardt, G. (1173) 266